



**NC FOREST SERVICE
VOLUNTEER FIRE ASSISTANCE AWARD PROGRAM
GUIDELINES AND INSTRUCTIONS**

R1



This award program administered by the N.C. Forest Service (NCFS) is designed to provide financial assistance to volunteer fire departments serving a population of less than 10,000 people for purchasing wildland firefighting personal protective equipment, hand tools and approved water handling equipment. All fire departments awarded funds under this program shall comply with the following requirements. Failure to comply with these guidelines will forfeit your eligibility for funding, and will result in reimbursement of any or all funds received by your department to the NCFS.

1 – *Funds will only be awarded for the purchase of the items listed below.* Items approved for purchase with these funds are:

Personal Protective Clothing/Equipment

Wildland Helmet Wildland Fire Shirt/Jackets Wildland Fire Pants Wildland Gloves

Wildland Goggles Fire Shelter Harness/carrier Fire Shelters Fireline Pack

*Face and Neck Shroud(No Hotshields) Chainsaw Chaps *Wildland Coveralls (One piece garment)*
**Coveralls are not available through the NCFS Dod purchasing program and would have to be ordered from another vendor.*

Wildland Fire Hand Tools

**Fire Swatter/Flap Ax Combination Tool Pulaski Tool*

McLeod Rake Fire Rake Forest Fire Shovel
**Fire Swatters are not available through the NCFS Dod purchasing program and would have to be ordered from another vendor.*

Water Handling Items

Backpack Pump 1 ½ " or less Hose

1 ½ " or less Nozzles 1 ½ " or less Hose Adapters, Increasesers, Decreasers

Pack Sack (to transport hose fittings) 1 ½ " or less Gaited Wye Valves

Items purchased other than the items listed above will not be funded by this program.

2- The PPE purchased must meet and be labeled in accordance with all of the current requirements of NFPA 1977 Standard for Protective Clothing and Equipment for Wildland Fire Fighting. **No clothing made from FireResistant Cotton (FR Cotton) will be purchased with these funds. All clothing must be made from a flame inherent / resistant fiber or material (Nomex®, Aramid, etc.)** Fire Shirts shall not contain less than 5.5 oz./sq. of flame inherent fabric or they will not be approved under this program. Fire Pants shall not contain less than 6.0 oz./sq. yd of flame inherent fabric or they will not be approved under this program. One piece coveralls/jumpsuits shall not contain less than 6oz./sq. yd. of flame inherent fabric or they will not be approved under this program.

3 – The maximum amount of funds awarded to any fire department shall not exceed \$2,400.00.

Fire Department	50%	= \$1,200.00
NCFS	50%	= \$1,200.00 Maximum
Total = \$2,400.00		

4 – Fire Departments receiving funds through this program shall comply with all Federal Statutes relating to nondiscrimination and all applicable requirements of all other Federal laws, Executive orders, regulations, and policies. These include but are not limited to:
 Title VI of the Civil rights Act of 1964 (40 U.S.C. 2000d), which prohibits discrimination on the basis of race, color, disability, or national origin;
 Title IX of the Education amendments of 1972, as amended (20 U.S.C. 1681-1683, and 1685-1686), which prohibits discrimination on the basis of sex;
 and Section 504 of the Rehabilitation Act of 1973 as amended (29 USC 794) which prohibits discrimination on the basis of disabilities.
 In accordance with Federal law and U.S. Department of Agriculture policy, this institution is prohibited from discriminating on the basis of race, color, national origin, sex, age, or disability. (Not all prohibited bases apply to all programs.) To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten building, 1400 Independence Avenue, SW, Washington, DC 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

5- No orders or invoices will be accepted dated prior to the award notification letter.

Please read and follow the below guidelines for purchasing using these award funds.

6- **Purchases Through the NCFS's Dod (formerly called GSA) Purchasing Program**

****No sales tax or shipping charges apply to this purchasing option and no returns or exchanges are allowed.***

The NCFS offers a Dod Purchasing Program for NC Fire Departments in which most of the approved items authorized for purchase with these funds are available for purchase. A Dod Information Sheet and Order Form is enclosed for your use if you choose to purchase your items from this program. More information on the NCFS's Dod Purchasing Program for NC Fire Depts is also available on our website at http://ncforestservice.gov/fire_control/fc_gsa.htm.

If your department chooses to purchase your items through the NCFS's Dod Purchasing Program, the order form must be received by the close of business on April 11, 2016 at the address listed in Section 8. This order should only consist of the approved items listed in Section 1. Do not list other items with this order. Order must not exceed \$2400.00. Your department will be invoiced for your 50% share once we have notification from one of our representatives that your order has been delivered to you. Failure to return payment within 30-days of the date of the invoice may forfeit your funds.

**** Please note that Dod prices can change at any time during the year due to their contract changes. Therefore, the Dod prices that are on the enclosed price list may be slightly different at the time that you place your order. Since NCFS has no control over the pricing set by Dod, you will be responsible for any differences exceeding your 50% share of the maximum \$1200.00 match.***

7- **For Purchases from Private Vendors**

If your department chooses to purchase the approved items from sources other than the NCFS's Purchasing Program, then the following requirements must be met before NCFS will reimburse your 50% portion:

- Vendor must be paid in full by your department for the items purchased.
- ***A copy of the itemized invoice and a copy of the cancelled check (that has cleared the bank) or credit card statement must be submitted to NCFS by the close of business on May 2, 2016 at the address listed below in section 8. If you do not receive your cancelled checks you should request a copy from your bank or submit a copy of your bank statement showing the transaction. Payment to vendor must match exactly the amount of invoice. Only invoices made out in the name of the fire department can be accepted. Invoices made out to individuals are not acceptable. Personal credit card or personal check payments made to vendors cannot be accepted by NCFS for reimbursement. Only documentation in the name of the fire department can be accepted. Failure to return this information by the deadline may forfeit your funds.***
- Items purchased must be available for inspection by a NCFS representative. ***Items that are not present for inspection, or items purchased that are not approved per the guidelines of this program (See Section 1) will forfeit your funds.***
- NCFS will mail your check to you for our 50% share of the funds once a NCFS representative has inspected the items.

8 - **List of Other Vendors / Suppliers**

(Below is a list of various vendors that may be helpful to you.

However, you do not have to purchase from these vendors, you can purchase from any vendor as long as the items meet the requirements as stated above in Section 1)

Cascade Fire Company – 1-800-654-7049 (www.cascadefire.com)	Ben Meadow – 1-800-241-6401 (www.benmeadows.com)
National Firefighter- 1-800-423-8347 (www.nationalfirefighter.com)	Action Fire & Safety – (704) 599-4601
C.W. Williams – 1-800-277-FIRE	Slagle's Fire Equip. – 1-800-446-8896 (www.slaglefire.com)
The Supply Cache – 1-800-839-0821 (www.firecache.com)	Wildfire – 1-800-426-5207 (www.wildfire-equipment.com)
Chief's Supply Corp. 1-888-588-8569 (www.chiefsupply.com)	Mallory Co- 1-800-Mallory (www.malloryco.com)
L&A Emergency Equipment-(336)-526-3748 (www.laemeq.com)	W.S. Darley & Co. – 1-800-323-0244 (www.edarley.com)
Barrier-Wear 1-800 469-5994 (www.barrier-wear.com)	Council Tool Co – 1-866-646-3011 (www.counciltool.com)

Send all Dod Orders, correspondence, invoices, etc. to the following address:

N.C. Forest Service
2411 Old US 70 West
Clayton, NC 27520
Fax # 919-553-4486
Attn: VFAP Award Program

For inquiries or additional information regarding this award program, please contact your local County Ranger, District Ranger, or the State VFAP Coordinator's Office at (919) 553-6178 Ext. 221, or visit our web site at www.ncforestservice.gov



GSA PURCHASING PROGRAM FOR FIRE DEPARTMENTS ITEMS APPROVED FOR PURCHASE THROUGH NCFS'S 2015 AWARD PROGRAM



If you have questions concerning these items please call 919-553-6178 Ext. 221

SAFETY GOGGLES



Low profile design goggles protect against chemical splash and impact. Toric lens provides superior optics and peripheral vision. Soft elastomer seal on frame seals goggles to face while providing enhanced comfort. Impact Resistant, clear polycarbonate lens absorbs over 99.9% of harmful UV light. Quick-adjust headband. Meets ANSI Z87.1. Uvex model Stealth S3960C. **(NFES# 0318) 4240-01-504-7863.PR \$10.84**

WILDLAND FIREFIGHTER HELMET



Cap style helmet with peak includes 3 non-metallic headlamp/goggle retainer clips and 4 retro-reflective strips. Four-point suspension headband with crown straps, sweatband, and nape devise with slide tab system at back for size adjustment. Three strips of hook fastening tape on inside of helmet for attaching a face-and-neck shroud. Adjustable chin strap. Fits head sizes 6 1/2 to 8. Approved for use on wildland fire lines by USDA Forest Service. Conforms to NFPA 1977. **(NFES #0109) 8415-01-055-2265.....EA \$50.70**

WILDFIRE FH911 SERIES HELMETS

Specifically engineered to meet the requirements of Wildland firefighters. Available in cap and hat (full brim) styles, the FH911 Series helmets include goggles retainer clips, Scotchlite reflective strips, a ratchet suspension system, and a postman's slide chinstrap. Includes three strips of hook fastening tape for attaching a face and neck shroud (NSN 8465-01-483-6075). Bullard's Wildfire FH911 Series helmets meet and exceeds the specifications of NFPA 1977-1998. Fits head sizes 6 1/2 to 8.

Cap Style

- (NFES # 0723) - Red**
8415-01-504-9044.....\$55.01
- (NFES # 0724) - White**
8415-01-504-9045.....\$56.31
- (NFES # 0722) - Yellow**
8415-01-504-9042.....\$34.59



Hat Style (Full Brim)

- (NFES # 0922) - Red**
8415-01-504-9048.....\$59.76
- (NFES # 0923) - White**
8415-01-504-9050.....\$61.24
- (NFES # 0921) - Yellow**
8415-01-504-9047.....\$60.05



GLOVES



Heavy duty cowhide gloves for use on fire lines, can also be used in general forest work.

- (NFES# 1293) X-Small 8415-01-394-0208.. PR \$15.41**
- (NFES# 1294) Small 8415-01-394-0209.. PR \$15.41**
- (NFES# 1295) Med. 8415-01-394-0210.. PR \$15.41**
- (NFES# 1296) Large 8415-01-394-0215..PR \$15.41**
- (NFES# 1297) X-Large 8415-01-397-3937..PR \$15.41**

FIRE SHIRT

Bright Yellow, flame resistant, 5.5 oz Aramid shirt for use by wildland firefighters as a safety garment. This shirt is single breasted with button front, rolled collar and straight cut bottom. Shirt has two flap closing breast pockets and hook and pile fasteners for pockets and cuffs. Meets requirements of NFPA 1977.



\$76.20 each

- (NFES# 0522) X-Small (13 1/2 x 31)**
8415-01-211-6316
- (NFES# 0577) Small (14 1/2 x 32)**
8415-00-233-5818
- (NFES# 0511) Small-Long (14 1/2 x 33)**
8415-01-434-0618
- (NFES# 0578) Medium (15 1/2 x 33)**
8415-00-233-5819
- (NFES# 0569) Medium-Long (15 1/2 x 34)**
8415-01-421-3905
- (NFES# 0579) Large (16 1/2 x 34)**
8415-00-259-8718
- (NFES# 2078) Large-Long (16 1/2 x 36)**
8415-01-285-3530
- (NFES# 0580) X-Large (17 1/2 x 35)**
8415-00-259-8722
- (NFES# 2079) X-Large-Long (17 1/2 x 37)**
8415-01-284-7500
- (NFES# 0570) XX-Large (18 1/2 x 36)**
8415-01-421-3907
- (NFES# 0512) XX-Large-Long (18 1/2 x 37)**
8415-01-434-0626
- (NFES# 2910) XXX-Large (19 1/2 x 37)**
8415-01-533-1740
- (NFES# 2911) XXX-Large-Long (19 1/2 x 38)**
8415-01-533-2435

WILDLAND FIREFIGHTER FACE & NECK SHROUD

Flame-resistant face and neck shroud protects lower face and neck of wildland firefighters from radiant heat. Shroud extends approx. 10" below helmet; encircles head leaving 6" wide by 4" deep opening for eyes. Closes in front with hook-and-loop fastener tape. One Size. Washable. Yellow.

- (NFES# 1274) 8415-01-483-6075..... .EA \$24.88**

WILDLAND FIREFIGHTER'S PANTS

Note****Due to new changes in specifications and contract Type I BDU's are both lighter in color and fabric weight. Customers may receive either the color of spruce green or sage green with the lighter fabric. BDU-style flame-resistant pants include waist-adjustment buckles, cuff hook-and-loop adjustment straps and cargo pockets. Wildland firefighter safety garment is made from a 6.7-oz, twill weave, Meta-Aramid (Nomex) blend material. The BDU Pants can accommodate a 2" wide belt. Forest Service Spec 5100-92.



\$71.32 each

- (NFES# 2737)Waist 24"-28"x 30"**
8415-01-591-6932

Example of color changes.

- (NFES# 2738) Waist 24"-28"x 33"**
8415-01-591-6925
- (NFES# 2700) Waist 26"-30"x 34" Inseam**
8415-01-464-4242
- (NFES# 2701)Waist 28"-32" x 34" Inseam**
8415-01-464-4247
- (NFES# 2702)Waist 30"-34"x 34" Inseam**
8415-01-464-4244
- (NFES# 2703)Waist 32"-36" x 34" Inseam**
8415-01-464-4248
- (NFES# 2704)Waist 34"-38" x 34" Inseam**
8415-01-464-5742
- (NFES# 2705)Waist 36"-40" x 34" Inseam**
8415-01-464-5621
- (NFES# 2706)Waist 38"-42" x 34" Inseam**
8415-01-464-5624
- (NFES# 2707)Waist 40"-44" x 34" Inseam**
8415-01-464-5645
- (NFES# 2846) Waist 44"x48"x33" Inseam**
8415-01-537-4984
- (NFES# 2800)Waist 26"-30" x 30" Inseam**
8415-01-464-2282
- (NFES# 2801)Waist 28"-32"x30" Inseam**
8415-01-464-3672
- (NFES# 2802)Waist 30"-34"x30" Inseam**
8415-01-464-3671
- (NFES# 2803)Waist 32"-36"x30" Inseam**
8415-01-464-3676
- (NFES# 2804)Waist 34"-38"x30" Inseam**
8415-01-464-3677
- (NFES# 2805)Waist 36"-40"x30" Inseam**
8415-01-464-3678
- NFES# 2806)Waist 38"-42"x30" Inseam.**
8415-01-464-3673
- (NFES# 2807)Waist 40"-44"x30" Inseam**
8415-01-464-3675
- (NFES# 2842)Waist 44"-48"x30" Inseam**
8415-01-537-4981
- (NFES# 2841)Waist 26"-30"x36" Inseam**
8415-01-537-4986
- (NFES# 2843)Waist 28"-32"x36" Inseam**
8415-01-537-4982
- (NFES# 2844)Waist 30"-34"x36" Inseam**
8415-01-537-4983
- (NFES# 2845)Waist 32"-36"x36" Inseam**
8415-01-537-4985
- (NFES# 2847)Waist 34"-38"x36" Inseam**
8415-01-537-5677
- (NFES# 2848)Waist 36"-40"x36" Inseam**
8415-01-537-5681
- (NFES# 2849) Waist 38"-42"x36" Inseam**
8415-01-537-5678
- (NFES# 2850)Waist 40"-44"x36" Inseam**
8415-01-537-5679
- (NFES# 2851)Waist 44"-48"x36" Inseam**
8415-01-537-5680

FIRE SHELTER HARNES

Black nylon webbing harness is designed for carrying a fire shelter over the user's chest. Features straps over the shoulders and around the chest. The shelter fastens to a horizontal hanger. **(NFES# 0294)**
8465-01-463-4648.....EA \$19.82



Please note that Wildland Coveralls are an approved item, however they are not available through the NCFS GSA Purchasing Program.

Fire Line Combination Tool



Combination pick and shovel that can be folded for easy transport. Similar to army entrenching tool with 40" handle and serrations on shovel edges for cutting light brush. Intended for use on wildland fire lines and for general forest work and trail maintenance.

(NFES# 1180)

5120-01-240-2120.....EA \$81.61

Fireline Pack Complete



Gear carrier is designed for use by wildland firefighters. Fireline Pack Includes a main

compartment measuring approx. 1,000 cu in, with top rain skirt allowing expansion), two side pockets (which can hold two one qt water bottles ea), two lid pockets, two fusee pockets and a belt pocket (all totaling 2,100 cu in). Bottom-mounted fire shelter sleeve can accommodate either a new or old design fire shelter. Lumbar style pack hangs low on back for improved line digging ergonomics. Includes two canteen cases and a stuff sack. Blue

(NFES# 0674)

8465-01-503-4484...EA \$ 137.28

Pulaski Tool




Axe and hoe combination, fireline digging and chopping tool. Cutting edges: hoe 3-3/8"; axe 4 1/2". Comes w/orange sheath.

(NFES# 0146)

5120-00-293-3467.....EA \$73.06

Forest Fire (McLeod) Rake




Rake and hoe combination; Fireline digging tool. Hoe and rake edges are 11" wide. Comes with orange sheath.

(NFES# 0296)

4210-00-203-3512.....EA \$76.43

Collapsible Fire Rake



Collapsible metal rake for use on fireline. Stainless steel tines extend to 16" width. Foam grip handle. Length 59.5"(extended) and 49.4"(collapsed). Weight 3.3 lbs.

(NFES #0659)

4210-01-387-1392.....\$93.16

Forest Fire Shovel



Designed especially for wildland fire fighting. Solid Shank. Straight handle. Special shape size #1 with forward step. Comes with orange sheath.

(NFES# 0171)

5120-00-965-0609.....EA \$61.03

Forest Fire (Rake & Cutting Tool)



Council or Rich tool. Fireline digging, triangular cutting heads on hoe-type frame 12" wide, straight handle 52" long.

(NFES# 1807)

4210-00-540-4512.....EA \$72.60

CHAINSAW CHAPS

Heavy duty chaps designed specifically to protect against chainsaw cuts. Cut resistant nylon duck shells are padded with 5 layers of aramid fillers.



Chaps cover front and sides of legs from waist to mid-calf and are secured with adjustable waist belt and leg straps. Has tool pouch. For proper fit, select chaps length to cover from normal waist to at least 3 inches below boot top. Orange.

32" Long **(NFES# 0045)**

8415-00-286-7507.....PR \$98.88

36" Long **(NFES# 0078)**

8415-01-028-5575.....PR \$98.88

40" Long **(NFES# 0150)**

8415-01-294-7717.....PR \$98.88

Please note that the Fire Swatter/Flap and Axe are approved items, however they are not available through the NCFs GSA Purchasing Program.

Wildland Firefighter's Kevlar Pants



Light
Spruce
Green
BDU style
include
waist
adjustment

buckles, cuff hook and loop adjustments straps and cargo pockets. Wildland firefighter flame resistant pants are made from 7.0 oz/sq. yd, rip-stop weave, Para-Aramid (Kevlar) blend material. The BDU pants can accommodate a 2" wide belt.

\$137.47 each

(NFES# 2945)

Waist 30"-34"x33" Inseam
8415-01-559-3543

(NFES# 2958)

Waist 32"-36"x30" Inseam
8415-01-559-3549

(NFES# 2946)

Waist 32"-36"x33" Inseam
8415-01-559-3544

(NFES# 2959)

Waist 34"-38"x30" Inseam.
8415-01-559-3541

(NFES# 2947)

Waist 34"-38"x33" Inseam.
8415-01-559-3547

(NFES# 2963)

Waist 36"-40"x30" Inseam
8415-01-559-3546

(NFES# 2948)

Waist 36"-40"x33" Inseam
8415-01-559-3548

(NFES# 2956)

Waist 28"-32" x 30" Inseam
8415-01-559-3545

(NFES# 2944)

Waist 28"-32" x 33" Inseam
8415-01-559-3540

(NFES# 2957)

Waist 30"-34" x 30" Inseam
8415-01-559-3452

(NFES# 2954)

Waist 26"-30" x 30" Inseam
8415-01-591-6926

(NFES# 2955)

Waist 26"-30" x 33" Inseam.
8415-01-591-6928

(NFES# 2964)

Waist 38"-42" x 30" Inseam
8415-01-591-6929

(NFES# 2966)

Waist 40"-44" x 30" Inseam
8415-01-591-6930

(NFES# 2965)

Waist 38"-42" x 33" Inseam
8415-01-591-6933

(NFES# 2967)

Waist 40"-44"x33" Inseam
8415-01-591-6934



****Note: NO RETURNS OR EXCHANGES ALLOWED.**

Please make sure that the hose, adapters, etc that you order will work with your existing fittings.

Backpack Pump Complete Unit



Complete backpack pump outfit includes 5 gallon suppression bag, 2 liners, quick-disconnect fittings, connector hose, and handheld single acting trombone style pump. This is a combination of NSN's 4320-00-595-0762 and 8465-01-

321-1678. Straps are included. (NFES# 1149)

4320-00-289-8912.....EA \$136.42

Synthetic Garden Hose



Lightweight hose as a woven synthetic jacket and is lined. 200 p.s.i. operating pressure. 5/8" diameter hose has a 3/4"-11-1/2" NH threaded coupling (equivalent to standard garden hose threads). To be used for mop-up operations, pumper protection and misc. applications. (NFES# 1016)

4210-01-167-1061...50'.....LG \$39.34

Synthetic Lined Fire Hose



Lined synthetic woven jacket hose, lightweight, 100ft. lengths, with aluminum rocker lug couplings. Working pressure 450 p.s.i. 1" diameter hose has a 1" NPSH threaded coupling. (NFES# 1238) 1" NPSH

4210-01-166-8122...100'...LG \$146.98

1-1/2" diameter hose has a 1-1/2" NH threaded coupling. (NFES# 1239) 1-1/2" NH

4210-01-165-6597...100'...LG \$184.29

Fire Hose Nozzle



Shut off type with two outlets. Combination fog and straight-stream nozzle. Both outlets have 3/4" GHT threads. Comes with two tips: 3/16" (10 gpm) straight stream and a 3 gpm spray tip. Inlet is 1" NPSH female. Selector goes from spray to straight, to off. Aluminum nozzle. Tips may be brass or

aluminum. (NFES# 0024)

4210-00-640-1892.....EA \$153.61

Packsack



Packsack is intended for use in a wide variety of field related activities, including Wildland Fire Suppression. The top of the packsack closes with a drawstring and a zippered pocket flap. Includes shoulderstraps and a chest strap. Dark green heavy duty nylon duck cloth. (NFES# 0744)

8465-00-205-3493.....EA \$49.15

Fire Hose Nozzle Tip



Tips for all nozzles having 3/4" GHT outlets including NSN 4210-00-203-3519, NSN 4210-00-640-1892, and NSN 4210-01-108-2934. All tips have 3/4" GHT female threads. Brass and aluminum.

Spray type 2.0-4.0 gpm-size 3

(NFES# 0635)

4210-00-204-3358.....EA \$18.25

Spray type 5.0-7.0 gpm - size 6

(NFES# 0636)

4210-00-204-3386.....EA \$25.84

Fire Hose Nozzle Tip

Tips for all nozzles have 3/4" GHT outlets. Including 4210-00-203-3519, 4210-00-640-1892 and 4210-01-108-2934. All tips have 3/4" GHT female threads. Solid straight stream type tip has a 3/4", 11 1/2 NH female threaded inlet and is made of brass. Measures 1-3/4" long overall. Discharge opening is 3/16", 40-gpm.



Straight stream type - 10 gpm

(NFES# 0637)

4210-00-203-3855 3/16".....EA \$8.56

Discharge opening is 3/8", 40 gpm.

Straight stream type - 40 gpm (NFES# 0638)

4210-00-203-3845 3/8"EA \$7.70

Straight stream type - 18gpm. Discharge opening is 1/4".

(NFES# 0737)

4210-00-177-6135 1/4"EA \$9.50

Fire Hose Nozzle



Barrel type plastic polycarbonate nozzle. Adjusts from straight stream to fog to off. Rubber bumper and gasket included. 1" NPSH, 17 to 20 gpm. (NFES# 0138)

4210-00-085-2291.....EA \$8.66

Mop-Up Nozzle



Wildland fire hose nozzle with 3/4" GHT inlet threads NH (garden hose) threads, brass. Flow rate varies from 4-gpm spray pattern to 8-gpm straight-stream pattern. Will shut off

under 250 psi. 5" long (NFES# 0136)

4730-00-595-1103.....EA \$21.23

Nozzles w/Shut-Off, Combination Barrel



Barrel-type nozzle with shut off is made of aluminum alloy. Outer barrel rotates from high flow spray, to high flow straight stream, to low flow spray to low flow straight stream and to off.

Female intake is a 1", 11 1/2 NPSH, 10 to 25-gpm. 10 to 25 gpm

1" NPSH
(NFES# 1081)

4210-01-165-6603.....EA \$30.88



Female intake is 1-1/2", 9 NH, 20 to 75-gpm. 20 to 75 gpm

1-1/2" NH
(NFES# 1082)

4210-01-167-1123.....EA 47.72

Fire Hose Double Female Adapter



Double female connection has aluminum couplings w/ a 600 psi test pressure. Ends are 1" NPSH. Female. (NFES# 0710)

4210-01-080-1457.....EA \$18.65



Fire Hose Double Male Adapter

Double Male connection with center wrenching is plain style. Has right hand threads and aluminum couplings with 600 psi pressure. Measures 2" long. 1" NPSH (NFES# 0916)

4210-01-080-1458.....EA \$9.14

Fire Hose Increase



Increaser has aluminum couplings with 600 psi pressure.

3/4" NH (F) x 1" NPSH (M)
(NFES# 2235)

4210-01-080-6531.....EA \$14.42



1" NPSH (F) x 1 1/2" NH (M)
(NFES# 0416)

4210-01-080-6532.....EA \$11.83

Shut-Off Valve



Aluminum valve has a female threaded inlet with gasket recess and male threaded outlet. Has an on-off or open-close lever with stops at both positions. Removable inlet or outlet allows for easy cleaning and repair. Has 1", 11-1/2 NPSH threads on both

ends. (NFES# 1201) 1" NPSH

4210-01-165-6599.....EA \$65.81

High Pressure Hose



High pressure fire hose with 1" 11-1/2 NPSH compression wedge couplings. A braided hose of 3/4" inside diameter, 50-foot length. Working pressure 600 p.s.i.

(NFES# 1220)

4210-00-595-1838...50'.....LG \$475.96

Garden Hose Wye Valve



Wye gated shut-off. Small wye valve has 3/4" garden hose threaded (GHT) connections. Has one inlet & two outlets w/ gated shut-off ball valves, 200 psi. (This is a component of the Mop-Up Kit) (NFES# 0272)

4210-01-412-6335.....\$16.62

Fire Hose Reducer



Reducers have aluminum couplings with 600 psi pressure.

1" NPSH(F) x 3/4" NH (M)
(NFES# 0733)

4210-01-079-9286.....EA \$7.37

1 1/2" NH(F) x 1" NPSH(M)

(NFES# 0010)

4210-00-975-2969.....EA \$9.30

1 1/2" NPSH(F) x 1" NPSH(M)

(NFES# 0418)

4210-00-294-2648.....EA \$12.04

Hoseline Tee w/ Capped Male Branch



Aluminum alloy tee issues 600 psi max operating water pressure. Has right hand threads. Connects 1" NPSH (F) threaded inlet to 1" NPSH outlet and 3/4" 8 NH branch w/ male threads; center leg length 1-1/2".

Male threaded 3/4" branch is closed w/

removable aluminum alloy cap.

1" NPSH x 1" NPSH x 3/4" NH (NFES# 1809)

4210-01-081-0418.....EA \$32.52

Connects 1" NPSH(F) inlet to two 1" NPSH(M) outlets. Center leg length 1-1/2". One outlet is closed w/ removable aluminum alloy cap. 1" NPSH x 1" NPSH x 1" NPSH

(NFES# 2240) 4210-01-080-1459.....EA \$16.92

Fire Hose Wye Valve



Aluminum wye valve has a female inlet and two ball-valved male outlets. Ball type release of water either or both outlets. Working pressure is 600 psi.

1" NPSH-All threads are 1", 11 1/2" NPSH

(NFES# 0259)

4210-00-126-5108.....EA \$93.13

1-1/2" NH- All threads are 1 1/2", 9NH

(NFES# 0231)

4210-00-984-3475.....EA \$120.40

****Note: NO RETURNS OR EXCHANGES ALLOWED.**

Please make sure that the hose, adapters, etc that you order will work with your existing fittings.



**N.C. FOREST SERVICE
Dod (formerly called GSA) PURCHASING PROGRAM FOR NC FIRE DEPARTMENTS
ORDER FORM for 50/50 AWARD PROGRAM**



Name of Department: _____ County: _____

Billing Address: _____ Name of Chief: _____

_____ Email Address: _____

_____ Fax No.: (optional) _____

Contact Person: _____ Daytime Telephone No.: _____

Only items listed in section 1 of the Award guidelines should be listed on this order form.

NSN# (13-digit)	DESCRIPTION, COLOR AND SIZE	QTY	PRICE EACH	TOTAL
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				

RETURN TO : NCFSS - 2411 Old US 70 W Clayton NC 27520 Attn: Award Program or
Fax to 919-553-4486.

NEW POLICY*: **NO RETURNS OR EXCHANGES ARE ALLOWED*** MAKE SURE THE NSN# MATCHES THE DESCRIPTION.

Signature of Fire Chief: _____ Date: _____ (must not be dated prior to award letter)

DO NOT SEND PAYMENT WITH ORDER. YOU WILL BE INVOICED FOR YOUR 50%.

ORDERS ARE DUE APRIL 11, 2016

ORDER TOTAL:

NCFSS 50% UP TO \$1200

Please note that Dod's prices can change at anytime without notice.

VFD'S 50%

Order must not exceed \$2400.00

*NO SHIPPING CHARGES OR TAXES APPLY.

FOR OFFICE USE ONLY

CHECK AMOUNT: _____

CHECK NUMBER: _____

Attach another order form if more space is needed. If you have any questions please call 919-553-6178 Ext. 221

